

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	857422	conductor or wire	US- PGPUB; USPAT
2	BRS	L2	4498	1 and (inner adj core)	US- PGPUB; USPAT
3	BRS	L3	1851	2 and (outer adj surface)	US- PGPUB; USPAT
4	BRS	L4	3	3 and (core adj impedance)	US- PGPUB; USPAT
5	BRS	L5	210	3 and impedance	US- PGPUB; USPAT
6	BRS	L6	3	5 and (outer adj impedance)	US- PGPUB; USPAT
7	BRS	L7	3	4 and (outer adj impedance)	US- PGPUB; USPAT
8	BRS	L8	3	6 or 7	US- PGPUB; USPAT
9	BRS	L9	6	2 and (core adj impedance)	US- PGPUB; USPAT
10	BRS	L10	3	9 not 8	US- PGPUB; USPAT
11	BRS	L11	869142	conductor or wire	USOCR; EPO; JPO
12	BRS	L12	1378	11 and (inner adj core)	USOCR; EPO; JPO
13	BRS	L13	0	12 and (core adj impedance)	USOCR; EPO; JPO

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>1</b>	2005/05/06 15:29			
<b>2</b>	2005/05/06 15:29			
<b>3</b>	2005/05/06 15:29			
<b>4</b>	2005/05/06 15:30			
<b>5</b>	2005/05/06 15:31			
<b>6</b>	2005/05/06 15:31			
<b>7</b>	2005/05/06 15:31			
<b>8</b>	2005/05/06 15:45			
<b>9</b>	2005/05/06 15:45			
<b>10</b>	2005/05/06 15:45			
<b>11</b>	2005/05/06 15:56			
<b>12</b>	2005/05/06 15:56			
<b>13</b>	2005/05/06 15:56			

	Type	L #	Hits	Search Text	DBs
14	BRS	L14	0	12 and impedacne	USOCR; EPO; JPO
15	BRS	L15	100	12 and impedance	USOCR; EPO; JPO
16	BRS	L16	24	15 and (outer adj core)	USOCR; EPO; JPO
17	BRS	L17	29	15 and (outer adj surface)	USOCR; EPO; JPO
18	BRS	L19	0	18 and (outer adj impedance)	USOCR; EPO; JPO
19	BRS	L18	45	16 or 17	USOCR; EPO; JPO
20	BRS	L20	0	18 and (ohm-cm)	USOCR; EPO; JPO
21	BRS	L21	0	18 and (ohms-cm)	USOCR; EPO; JPO
22	BRS	L22	34	18 and (ohms per centimeter)	USOCR; EPO; JPO
23	BRS	L23	0	18 and (ohms adj per adj centimeter)	USOCR; EPO; JPO
24	BRS	L24	0	18 and (ohms-centimeter)	USOCR; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
14	2005/05/06 15:56			
15	2005/05/06 15:56			
16	2005/05/06 15:56			
17	2005/05/06 15:56			
18	2005/05/06 15:57			
19	2005/05/06 16:02			
20	2005/05/06 16:03			
21	2005/05/06 16:03			
22	2005/05/06 16:04			
23	2005/05/06 16:04			
24	2005/05/06 16:05			

	Type	L #	Hits	Search Text	DBs
25	BRS	L25	0	18 and (ohm-centimeter)	USOCR; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
25	2005/05/06 16:05			